Volume 54, 2005

Plant Pathology

An international journal edited by the
British Society for Plant Pathology

Senior Editor
R. Shattock

Volume Contents

Blackwell
Publishing

ISSN 0032-0862

Volume 54, 2005

Plant Pathology

An international journal edited by the
British Society for Plant Pathology

Senior Editor
R. Shattock

Volume Contents

Blackwell
Publishing

ISSN 0032-0862

Published by Blackwell Publishing Ltd
Typeset by Graphicraft Limited, Hong Kong
Printed by Singapore by HO Printing Pte Ltd

©2005 British Society for Plant Pathology. All rights reserved. With the exception of fair dealing for the purposes of research or private study, or criticism or review, no part of this publication may be reproduced, stored or transmitted in any form or by any means without the prior permission in writing from the copyright holder. Authorization to photocopy items for internal and personal use is granted by the copyright holder for libraries and other users of the Copyright Clearance Centre (CCC), 22 Rosewood Drive, Danvers, MA 01923, USA (www.copyright.com), provided the appropriate fee is paid directly to the CCC. This consent does not extend to other kinds of copying, such as copying for general distribution for advertising or promotional purposes, for creating new collective works, or for resale.

Editorial Offices:
Blackwell Publishing Ltd, 9600 Garsington Road, Oxford OX4 2DQ, UK
Blackwell Publishing Asia, 550 Swanston Street, Carlton South, Victoria 3053, Australia
Blackwell Verlag, Kurfürstendamm 58, D-10707 Berlin, Germany
Blackwell Publishing Japan/Blackwell Publishing Asia, Tokyo Office, 5F, GS Chiyoda Building, 3-11-14 Iidabashi, Chiyoda-ku, Tokyo 102-0072, Japan
Blackwell Publishing Inc., Commerce Place, 350 Main Street, Malden MA 02148-5018, USA
Blackwell Munksgaard, 1 Rosenørns Allé, PO Box 227, DK-1502 Copenhagen V, Denmark
Blackwell Publishing Professional, 2121 S State Avenue, Ames, IA 50014-8300, USA

ISSN 0032-0862

Contents

NUMBER 1 **FEBRUARY**

Original Articles

1 *M. Fatmi, V. D. Damsteegt & N. W. Schaad.* A combined agar-absorption and BIO-PCR assay for rapid, sensitive detection of *Xylella fastidiosa* in grape and citrus

8 *C. Streten & K. S. Gibb.* Genetic variation in *Candidatus* Phytoplasma australiense

15 *Q. H. Sun, J. Hu, G. X. Huang, C. Ge, R. X. Fang & C. Z. He.* Type-II secretion pathway structural gene *xpsE*, xylanase- and cellulase secretion and virulence in *Xanthomonas oryzae* pv. *oryzae*

22 *P. van de Graaf, A. K. Lees, S. J. Wale & J. M. Duncan.* Effect of soil inoculum level and environmental factors on potato powdery scab caused by *Spongospora subterranea*

29 *L. Galipienso, M. C. Herranz, V. Pallás & J. Aramburu.* Detection of a tomato strain of *Parietaria mottle virus* (PMoV-T) by molecular hybridization and RT-PCR in field samples from north-eastern Spain

36 *M. P. A. Coetzee, B. D. Wingfield, T. Kirisits, D. B. Chhetri, P. Bloomer & M. J. Wingfield.* Identification of *Armillaria* isolates from Bhutan based on DNA sequence comparisons

46 *H. Britz, T. A. Coutinho, B. D. Wingfield, W. F. O. Marasas & M. J. Wingfield.* Diversity and differentiation in two populations of *Gibberella circinata* in South Africa

53 *G. M. T. Arruda, R. N. G. Miller, M. A. S. V. Ferreira & A. C. Café-Filho.* Morphological and molecular characterization of the sudden-death syndrome pathogen of soybean in Brazil

66 *L. Leisova, L. Kucera, V. Minarikova & J. Ovesna.* AFLP-based PCR markers that differentiate spot and net forms of *Pyrenophora teres*

74 *A. Amiri & G. Bompeix.* Diversity and population dynamics of *Penicillium* spp. on apples in pre- and postharvest environments: consequences for decay development

82 *O. Blechert & T. Debener.* Morphological characterization of the interaction between *Diplocarpon rosae* and various rose species

91 Book review

NUMBER 2 **APRIL**

Original Articles

93 *M. Jacquet, M. Bongiovanni, M. Martinez, P. Verschave, E. Wajnberg & P. Castagnone-Sereno.* Variation in resistance to the root-knot nematode *Meloidogyne incognita* in tomato genotypes bearing the *Mi* gene

100 *M. Stevens, N. J. Patron, C. A. Dolby, R. Weekes, P. B. Hallsworth, O. Lemaire & H. G. Smith.* Distribution and properties of geographically distinct isolates of sugar beet yellowing viruses

108 *F. Kleitman, D. Shtienberg, D. Blachinsky, D. Oppenheim, M. Zilberstaine, O. Dror & S. Manulis. Erwinia amylovora* populations resistant to oxolinic acid in Israel: prevalence, persistence and fitness

116 *V. Caffier & F. Laurens.* Breakdown of *Pl2*, a major gene of resistance to apple powdery mildew, in a French experimental orchard

125 *A. Urbanietz & F. Dunemann.* Isolation, identification and molecular characterization of physiological races of apple powdery mildew (*Podosphaera leucotricha*)

134 *L. Chartrain, P. A. Brading & J. K. M. Brown.* Presence of the *Stb6* gene for resistance to septoria tritici blotch (*Mycosphaerella graminicola*) in cultivars used in wheat-breeding programmes worldwide

144 *A. M. Wan, C. H. Bock, B. D. L. Fitt, J. L. Harvey & J. F. Jenkyn.* Development of *Oculimacula yallundae* and *O. acuformis* (eyespot) on leaf sheaths of winter wheat in the UK in relation to thermal time

156 *J. M. Brennan, D. Egan, B. M. Cooke & F. M. Doohan.* Effect of temperature on head blight of wheat caused by *Fusarium culmorum* and *F. graminearum*

161 *I. G. Pascoe, M. J. Priest, R. G. Shivas & J. H. Cunnington.* Ustilospores of *Tilletia ehrhartae*, a smut of *Ehrharta calycina*, are common contaminants of Australian wheat grain, and a potential source of confusion with *Tilletia indica*, the cause of Karnal bunt of wheat

169 *J. G. Hansen, M. Koppel, A. Valskyte, I. Turka & J. Kapsa.* Evaluation of foliar resistance in potato to *Phytophthora infestans* based on an international field trial network

180 *X. Meng, C. R. Grau & W. Chen.* Cultivar preference exhibited by two sympatric and genetically distinct populations of the soybean fungal pathogen *Phialophora gregata* f.sp. *sojae*

189 *I. Barnes, G. Nakabonge, J. Roux, B. D. Wingfield & M. J. Wingfield.* Comparison of populations of the wilt pathogen *Ceratocystis albifundus* in South Africa and Uganda

196 *N. Bharathan, H. Saso, L. Gudipati, S. Bharathan, K. Whited & K. Anthony.* Double-stranded RNA: distribution and analysis among isolates of *Rhizoctonia solani* AG-2 to -13

204 *G. Q. Li, H. C. Huang, S. N. Acharya & R. S. Erickson.* Effectiveness of *Coniothyrium minitans* and *Trichoderma atroviride* in suppression of sclerotinia blossom blight of alfalfa

212 *K. L. McLean, J. Swaminathan, C. M. Frampton, J. S. Hunt, H. J. Ridgway & A. Stewart.* Effect of formulation on the rhizosphere competence and biocontrol ability of *Trichoderma atroviride* C52

219 *K. De Jonghe, I. De Dobbelaere, R. Sarrazyn & M. Höfte.* Control of *Phytophthora cryptogea* in the hydroponic forcing of witloof chicory with the rhamnolipid-based biosurfactant formulation PRO1

227 *C. Y. He & D. J. Wolyn.* Potential role for salicylic acid in induced resistance of asparagus roots to *Fusarium oxysporum* f.sp. *asparagi*

New Disease Reports

233 *Y. Arocha, D. Horta, B. Piñol, I. Palenzuela, S. Picornell, R. Almeida & P. Jones.* First report of a phytoplasma associated with Bermuda-grass white leaf disease in Cuba

234 *P. Jones, Y. Arocha, O. Antesana, E. Montellano & P. Franco.* 'Brotes grandes' (big bud) of potato: a new disease associated with a 16SrI-B subgroup phytoplasma in Bolivia

235 *P. Jones, Y. Arocha, O. Antesana, E. Montellano & P. Franco.* 'Hoja de perejil' (parsley leaf) of tomato and morrenia little leaf, two new diseases associated with a phytoplasma in Bolivia

236 *B. Milkus, D. Clair, S. Idir, N. Habili & E. Boudon-Padieu.* First detection of stolbur phytoplasma in grapevines (*Vitis vinifera* cv. Chardonnay) affected with grapevine yellows in the Ukraine

237 *R. Jomantiene & R. E. Davis.* Apple sessile leaf: a new disease associated with a '*Candidatus* Phytoplasma asteris' subgroup 16SrI-B phytoplasma in Lithuania

238 *M. Mirik, S. Baloglu, Y. Aysan, R. Cetinkaya-Yildiz, M. Kusek & F. Sahin.* First outbreak and occurrence of citrus blast disease, caused by *Pseudomonas syringae* pv. *syringae*, on orange and mandarin trees in Turkey

239 *Y.-A. Lee, K.-P. Chen & Y.-C. Chang.* First report of bacterial leaf blight of white-flowered calla lily caused by *Xanthomonas campestris* pv. *zantedeschiae* in Taiwan

240 *H. Basim, E. Basim, S. Yilmaz & M. Ilkucan.* First report of pith necrosis of tomato caused by *Pseudomonas mediterranea* in Turkey

241 *H. B. Sert & H. Sümbül.* First report of *Melampsoridium hiratsukanum* infecting alder (*Alnus orientalis* var. *orientalis*) in Turkey

242 *B. Henricot & G. Denton.* First record of the rust *Puccinia lagenophorae* on *Emilia* spp. in the UK

243 *C. R. Lane, P. A. Beales, T. M. O'Neill, G. M. McPherson, A. R. Finlay, J. David, O. Constantinescu & B. Henricot.* First report of *Impatiens* downy mildew (*Plasmopara obducens*) in the UK

244 *K. Elena.* Fusarium wilt of *Phoenix canariensis*: first report in Greece

245 *S. Al-Bahry, A. E. Elshafie, M. Deadman, A. Al Sa'di, A. Al Raeesi & Y. Al Maqbali.* First report of *Ganoderma colossum* on *Ficus altissima* and *Delonix regia* in Oman

246 *M. P. Fortune, S. Gosine, S. Chow, A. Dilbar, A. St. Hill, H. Gibbs & N. Rambaran.* First report of black sigatoka disease (causal agent *Mycosphaerella fijiensis*) from Trinidad

247 *M. Sisterna & L. Ronco.* Occurrence of grapevine leaf spot caused by *Pseudocercospora vitis* in Argentina

248 *M. L. Putnam. Allantophomopsis lycopodina* – a new aerial pathogen of lingonberry (*Vaccinium vitis-idaea*)

249 *H. B. Sert & H. Sümbül.* First report of leaf spot caused by *Phoma sorghina* on *Trifolium campestre* in Turkey

250 *L. Vajna & G. Oros.* First report of *Rhizoctonia zeae* on *Lolium perenne* and *Festuca* sp. in Hungary

251 *S. Kurt, E. M. Soylu, S. Soylu & F. M. Tok.* First report of crater rot caused by *Rhizoctonia carotae* on carrots (*Daucus carota*) in Turkey

252 *S. Soylu, S. Kurt, E. M. Soylu & F. M. Tok.* First report of alternaria leaf blight caused by *Alternaria dauci* on carrot in Turkey

253 *J. Huang, L. Zheng & T. Hsiang.* First report of leaf spot caused by *Curvularia verruculosa* on *Cynodon* sp. in Hubei, China

254 *H. B. Lee, J. Y. Park & H. S. Jung.* First report of leaf anthracnose caused by *Colletotrichum boninense* on spindle trees

255 *A. K. Singh, V. Hallan, N. Verma & A. A. Zaidi.* Natural occurrence of *Lily symptomless virus* on spider lily

256 *N. Verma, L. Singh, A. K. Singh, S. Kulshrestha, G. Raikhy, V. Hallan, R. Ram & A. A. Zaidi.* Ornithogalum: a new host of *Cucumber mosaic virus* (CMV) from India

257 *R. K. Jain, S. Bag & L. P. Awasthi.* First report of natural infection of *Capsicum annuum* by *Tobacco streak virus* in India

258 *C.-Y. Li & Y.-C. Chang.* First identification of *Tobacco mild green mosaic virus* on *Capsicum annuum* in Taiwan

259 *A. Rouhibakhsh & V. G. Malathi.* Severe leaf curl disease of cowpea – a new disease of cowpea in northern India caused by *Mungbean yellow mosaic India virus* and a satellite DNA β

260 *S. Iram, L. Amrao, M. S. Mansoor, A. H. Malik, R. W. Briddon & Y. Zafar.* First report of a begomovirus associated with leaf curl disease of *Duranta erecta* in Pakistan

261 *Sh. Farzadfar, K. Ohshima, R. Pourrahim, A. R. Golnaraghi, S. Jalali & A. Ahoonmanesh.* Occurrence of *Turnip mosaic virus* on ornamental crops in Iran

262 *H. Delatte, H. Holota, F. Naze, M. Peterschmitt, B. Reynaud & J. M. Lett.* The presence of both recombinant and nonrecombinant strains of *Tomato yellow leaf curl virus* on tomato in Réunion Island

263 *L. Tomassoli, A. Zaccaria & M. Barba. Capparis spinosa* – a new host of *Cucumber mosaic virus* in Italy

264 *L. Velasco, B. García, I. Hita & V. Padilla.* Detection of *Grapevine virus B* associated with rugose wood (corky bark) symptoms in grapevine cv. Napoleon in Murcia (Spain)

NUMBER 3 **JUNE**

Original Articles

265 *P. H. Thrall, L. G. Barrett, J. J. Burdon & H. M. Alexander.* Variation in pathogen aggressiveness within a metapopulation of the *Cakile maritima–Alternaria brassicicola* host–pathogen association

275 *K. J. Evans, M. K. Jones & R. T. Roush.* Susceptibility of invasive taxa of European blackberry to rust disease caused by the uredinial stage of *Phragmidium violaceum* under field conditions in Australia

287 *D. Rimé, C. Robert, H. Goyeau & C. Lannou.* Effect of host genotype on leaf rust (*Puccinia triticina*) lesion development and urediniospore production in wheat seedlings

299 *G. L. Bateman.* The contribution of ground-level inoculum of *Fusarium culmorum* to ear blight of winter wheat
308 *A. L. Li, M. L. Wang, R. H. Zhou, X. Y. Kong, N. X. Huo, W. S. Wang & J. Z. Jia.* Comparative analysis of early H_2O_2 accumulation in compatible and incompatible wheat–powdery mildew interactions
317 *U. Małolepsza.* Spatial and temporal variation of reactive oxygen species and antioxidant enzymes in o-hydroxyethylorutin-treated tomato leaves inoculated with *Botrytis cinerea*
325 *R. C. Fenille, M. B. Ciampi, N. L. Souza, A. K. Nakatani & E. E. Kuramae.* Binucleate *Rhizoctonia* sp. AG G causing root rot in yacon (*Smallanthus sonchifolius*) in Brazil
331 *O. Santamaría, F. M. Alves-Santos & J. J. Diez.* Genetic characterization of *Gremmeniella abietina* var. *abietina* isolates from Spain
339 *D. J. Vakalounakis, A. G. Doulis & E. Klironomou.* Characterization of *Fusarium oxysporum* f. sp. *radicis-cucumerinum* attacking melon under natural conditions in Creece
347 *X. M. Xu & J. Robinson.* Modelling the effects of wetness duration and fruit maturity on infection of apple fruits of Cox's Orange Pippin and two clones of Gala by *Venturia inaequalis*
357 *B.-H. Li, X.-M. Xu, J.-T. Li & B.-D. Li.* Effects of temperature and continuous and interrupted wetness on the infection of pear leaves by conidia of *Venturia nashicola*
364 *G. A. Forbes, M. G. Chacón, H. G. Kirk, M. A. Huarte, M. Van Damme, S. Distel, G. R. Mackay, H. E. Stewart, R. Lowe, J. M. Duncan, H. S. Mayton, W. E. Fry, D. Andrivon, D. Ellissèche, R. Pellé, H. W. Platt, G. MacKenzie, T. R. Tarn, L. T. Colon, D. J. Budding, H. Lozoya-Saldaña, A. Hernandez-Vilchis & S. Capezio.* Stability of resistance to *Phytophthora infestans* in potato: an international evaluation
373 *S. Hussain, A. K. Lees, J. M. Duncan & D. E. L. Cooke.* Development of a species-specific and sensitive detection assay for *Phytophthora infestans* and its application for monitoring of inoculum in tubers and soil
383 *C. Pasco, B. Jouan & D. Andrivon.* Resistance of potato genotypes to common and netted scab-causing species of *Streptomyces*
393 *C. R. Wilson, J. A. deLittle, J. A. L. Wong, P. J. Schupp & L. J. Gibson.* Adjustment of soil-surface pH and comparison with conventional fungicide treatments for control of lettuce drop (*Sclerotinia minor*)
401 *G. K. Kishore, S. Pande & A. R. Podile.* Management of late leaf spot of groundnut (*Arachis hypogaea*) with chlorothalonil-tolerant isolates of *Pseudomonas aeruginosa*
409 *S. Kaewnum, S. Prathuangwong & T. J. Burr.* Aggressiveness of *Xanthomonas axonopodis* pv. *glycines* isolates to soybean and hypersensitivity responses by other plants
416 *T. Berg, L. Tesoriero & D. L. Hailstones.* PCR-based detection of *Xanthomonas campestris* pathovars in *Brassica* seed
428 Book reviews

NUMBER 4 AUGUST

Original Articles

431 *D. Rowland, J. Dorner, R. Sorensen, J. P. Beasley Jr & J. Todd. Tomato spotted wilt virus* in peanut tissue types and physiological effects related to disease incidence and severity
441 *H. Krečič-Stres, C. Vučak, M. Ravnikar & M. Kovač.* Systemic *Potato virus* Y^{NTN} infection and levels of salicylic and gentisic acids in different potato genotypes
448 *M. Ala-Poikela, E. Svensson, A. Rojas, T. Horko, L. Paulin, J. P. T. Valkonen & A. Kvarnheden.* Genetic diversity and mixed infections of begomoviruses infecting tomato, pepper and cucurbit crops in Nicaragua
460 *C. A. Rodas, M. Gryzenhout, H. Myburg, B. D. Wingfield & M. J. Wingfield.* Discovery of the *Eucalyptus* canker pathogen *Chrysoporthe cubensis* on native *Miconia* (Melastomataceae) in Colombia
471 *G. Herve, B. Bertrand, L. Villain, D. Licardie & C. Cilas.* Distribution analyses of *Meloidogyne* spp. and *Pratylenchus coffeae sensu lato* in coffee plots in Costa Rica and Guatemala
476 *F. Anthony, P. Topart, A. Martinez, M. Silva & M. Nicole.* Hypersensitive-like reaction conferred by the *Mex-1* resistance gene against *Meloidogyne exigua* in coffee
483 *W. Phillips-Mora, J. Castillo, U. Krauss, E. Rodríguez & M. J. Wilkinson.* Evaluation of cacao (*Theobroma cacao*) clones against seven Colombian isolates of *Moniliophthora roreri* from four pathogen genetic groups
491 *C. Pillinger, N. Paveley, M. J. Foulkes & J. Spink.* Explaining variation in the effects of take-all (*Gaeumannomyces graminis* var. *tritici*) on nitrogen and water uptake by winter wheat
502 *U. Jönsson, T. Jung, K. Sonesson & U. Rosengren.* Relationships between health of *Quercus robur*, occurrence of *Phytophthora* species and site conditions in southern Sweden
512 *S. Denman, S. A. Kirk, C. M. Brasier & J. F. Webber. In vitro* leaf inoculation studies as an indication of tree foliage susceptibility to *Phytophthora ramorum* in the UK
522 *D. Gobbin, M. Jermini, B. Loskill, I. Pertot, M. Raynal & C. Gessler.* Importance of secondary inoculum of *Plasmopara viticola* to epidemics of grapevine downy mildew
535 *J. Rumbolz & W. D. Gubler.* Susceptibility of grapevine buds to infection by powdery mildew *Erysiphe necator*
549 *A. Collins, J. Mercado-Blanco, R. M. Jiménez-Díaz, C. Olivares, E. Clewes & D. J. Barbara.* Correlation of molecular markers and biological properties in *Verticillium dahliae* and the possible origins of some isolates

New Disease Reports

558 *P. Jones, Y. Arocha, O. Antesana, E. Montilliano & P. Franco.* First report of an isolate of '*Candidatus* Phytoplasma australiense' associated with a yellow leaf roll disease of peach (*Prunus persicae*) in Bolivia

559 *P. Jones, Y. Arocha & G. Plata.* First report of a '*Candidatus* Phytoplasma asteris' isolate associated with a witches' broom disease of alfalfa in Bolivia
560 *A. Gera, M. Mawassi, M. Zeidan, S. Spiegel & M. Bar-Joseph.* An isolate of '*Candidatus* Phytoplasma australiense' group associated with Nivun Haamir dieback disease of papaya in Israel
561 *D. Rančić, S. Paltrinieri, I. Toševski, R. Petanović, B. Stevanović & A. Bertaccini.* First report of multiple inflorescence disease of *Cirsium arvense* and its association with a 16SrIII-B subgroup phytoplasma in Serbia
562 *I. E. Tzanetakis, I. C. Mackey & R. R. Martin. Tulip virus X* (TVX) associated with lemon balm (*Melissa officinalis*) variegation: first report of TVX in the USA
563 *M. Saqib, R. A. C. Jones, B. Cayford & M. G. K. Jones.* First report of *Bean common mosaic virus* in Western Australia
564 *M. Ciuffo, M. M. Finetti-Sialer, D. Gallitelli & M. Turina.* First report in Italy of a resistance-breaking strain of *Tomato spotted wilt virus* infecting tomato cultivars carrying the *Sw5* resistance gene
565 *M. Ciuffo, D. Pettiti, S. Gallo, V. Masenga & M. Turina.* First report of *Blueberry scorch virus* in Europe
566 *J. Aramburu & L. Galipienso.* First report in Spain of a variant of *Tomato mosaic virus* (ToMV) overcoming the *Tm-2²* resistance gene in tomato (*Lycopersicon esculentum*)
567 *D. Janssen, E. Saez, E. Segundo, G. Martín, F. Gil & I. M. Cuadrado. Capsicum annuum* – a new host of *Parietaria mottle virus* in Spain
568 *R. A. Mumford, B. Jarvis, V. Harju, J. Elmore & A. Skelton.* The first identification of two viruses infecting trailing verbena in the UK
569 *A. A. Khan, Q. A. Naqvi, M. S. Khan, R. Singh & S. K. Raj.* First report of a begomovirus infecting *Calendula* in India
570 *R. V. Chowda Reddy, V. Muniyappa, J. Colvin & S. Seal.* A new begomovirus isolated from *Gossypium barbadense* in southern India
571 *P. Ramachandran, J. Agarwal, A. Roy, D. K. Ghosh, D. R. Das & Y. S. Ahlawat.* First record of a *Hop stunt viroid* variant on Nagpur mandarin and Mosambi sweet orange trees on rough lemon and Rangpur lime rootstocks
572 *A. Mehra, V. Hallan, B. Lal, H. R. Negi & A. A. Zaidi. Sorbaria tomentosa* – a new natural host for *Potato virus Y* (PVY)
573 *K. Mandal & S. Maiti.* Bacterial soft rot of aloe caused by *Pectobacterium chrysanthemi*: a new report from India
574 *M. L. Jeeva, V. Hegde, T. Makeshkumar, R. R. Nair & S. Edison. Dioscorea alata*, a new host of *Sclerotium rolfsii* in India
575 *X. Q. Zhu, X. Y. Chen, Y. Luo & L. Y. Guo.* First report of *Monilinia fructicola* on peach and nectarine in China
576 *K. Vrandecic, J. Cosic, L. Riccioni, T. Duvnjak & D. Jurkovic.* Isolation of *Diaporthe phaseolorum* var. *caulivora* from *Abutilon theophrasti* in Croatia
577 *H. H. Altınok.* First report of fusarium wilt of eggplant caused by *Fusarium oxysporum* f. sp. *melongenae* in Turkey
578 *M. Piątek.* First report of powdery mildew of *Ligustrum* caused by *Erysiphe syringae-japonicae*
579 *D. J. Soares & R. W. Barreto.* First report of *Oidium piperis* on *Piper aduncum* in Brazil
580 *S. Green.* First report of *Septoria betulae* causing leaf spot of birch in the UK
581 *S. Denman, S. A. Kirk, C. M. Brasier, K. J. D. Hughes, R. Griffin, E. Hobdon & J. F. Webber.* Foliar infection of sweet chestnut (*Castanea sativa*) by *Phytophthora ramorum* in the UK
582 *A. Schlenzig.* First report of *Phytophthora inflata* on nursery plants of *Rhododendron* spp., *Gaultheria shalon* and *Vaccinium vitis-idaea* in Scotland
583 *P. Tsopelas & K. Nikolaou.* First report of *Heterobasidion annosum* in Cyprus
584 *E. Çakir.* First report of potato wart disease in Turkey
585 *R. L. Gilbert, B. A. Auld & B. R. Hennecke.* Leaf and stem spot of *Alternanthera philoxeroides* (alligatorweed) in Australia caused by *Nimbya* sp.

NUMBER 5 OCTOBER

Review Article
587 *J. M. Thresh & R. J. Cooter.* Strategies for controlling cassava mosaic virus disease in Africa

Original Articles
615 *C. Kubo, E. Nakazono-Nagaoka, K. Hagiwara, H. Kajihara, S. Takeuchi, K. Matsuo, T. U. Ichiki & T. Omura.* New severe strains of *Melon necrotic spot virus*: symptomatology and sequencing
621 *A. K. Singh, V. Hallan, R. Ram & A. A. Zaidi.* Variability in the coat protein of *Lily symptomless virus* isolates infecting various lily species
625 *K. Wang & C. Hiruki.* Distinctions between phytoplasmas at the subgroup level detected by heteroduplex mobility assay
634 *Y. Arocha, M. López, M. Fernández, B. Piñol, D. Horta, E. L. Peralta, R. Almeida, O. Carvajal, S. Picornell, M. R. Wilson & P. Jones.* Transmission of a sugarcane yellow leaf phytoplasma by the delphacid planthopper *Saccharosydne saccharivora*, a new vector of sugarcane yellow leaf syndrome
643 *R. Hadas, G. Kritzman, F. Klietman, T. Gefen & S. Manulis.* Comparison of extraction procedures and determination of the detection threshold for *Clavibacter michiganensis* ssp. *michiganensis* in tomato seeds
650 *H. Buschmann, G. Gonsior & J. Sauerborn.* Pathogenicity of branched broomrape (*Orobanche ramosa*) populations on tobacco cultivars
657 *N. Vovlas, D. Mifsud, B. B. Landa & P. Castillo.* Pathogenicity of the root-knot nematode *Meloidogyne javanica* on potato
665 *C. Kora, M. R. McDonald & G. J. Boland.* Occurrence of fungal pathogens of carrots on wooden boxes used for storage
671 *S. Chen, X. Dai, S. Qiang & Y. Tang.* Effect of a nonhost-selective toxin from *Alternaria alternata* on chloroplast-electron transfer activity in *Eupatorium adenophorum*

678 *Y. C. Liang, W. C. Sun, J. Si & V. Römheld.* Effects of foliar- and root-applied silicon on the enhancement of induced resistance to powdery mildew in *Cucumis sativus*
686 *J. Freeman, E. Ward, R. J. Gutteridge & G. L. Bateman.* Methods for studying population structure, including sensitivity to the fungicide silthiofam, of the cereal take-all fungus, *Gaeumannomyces graminis* var. *tritici*
699 *C. Lannou, P. Hubert & C. Gimeno.* Competition and interactions among stripe rust pathotypes in wheat-cultivar mixtures
713 Book review

NUMBER 6 DECEMBER

British Society for Plant Pathology Presidential Address 2004
715 *S. J. Wale.* The science of appliance

Original Articles
723 *F. Pilet, R. Pellé, D. Ellissèche & D. Andrivon.* Efficacy of the *R2* resistance gene as a component for the durable management of potato late blight in France
733 *K. Gotoh, S. Akino, A. Maeda, N. Kondo, S. Naito, M. Kato & A. Ogoshi.* Characterization of some Asian isolates of *Phytophthora infestans*
740 *G. Garry, G. A. Forbes, A. Salas, M. Santa Cruz, W. G. Perez & R. J. Nelson.* Genetic diversity and host differentiation among isolates of *Phytophthora infestans* from cultivated potato and wild solanaceous hosts in Peru
749 *S. Pažoutová & D. E. Frederickson.* Genetic diversity of *Claviceps africana* on sorghum and *Hyparrhenia*
764 *M. Rahman, D. Hussain, T. A. Malik & Y. Zafar* Genetics of resistance to cotton leaf curl disease in *Gossypium hirsutum*
773 *J. Díaz, C. Silvar, M. M. Varela, A. Bernal & F. Merino. Fusarium* confers protection against several mycelial pathogens of pepper plants
781 *G. Dunger, A. L. Arabolaza, N. Gottig, E. G. Orellano & J. Ottado.* Participation of *Xanthomonas axonopodis* pv. *citri hrp* cluster in citrus canker and nonhost plant responses
789 *S. Giorgi & M. Scortichini.* Molecular characterization of *Erwinia amylovora* strains from different host plants through RFLP analysis and sequencing of *hrp*N and *dsp*A/E genes
799 *S. A. Weller, D. E. Stead & J. P. W. Young.* Induction of root-mat symptoms on cucumber plants by *Rhizobium*, but not by *Ochrobactrum* or *Sinorhizobium*, harbouring a cucumopine Ri plasmid

New Disease Reports
806 *N. L. Mantri, A. S. Kitkaru, M. B. Misal & K. S. Ravi.* First report of *Papaya ringspot virus* – W in bottle gourd (*Lagenaria siceraria*) from India
807 *M. Tahir & M. S. Haider.* First report of *Tomato leaf curl New Delhi virus* infecting bitter gourd in Pakistan
808 *I. Safrankova.* First report of *Volutella pachysandricola* on *Pachysandra terminalis* in the Czech Republic
809 *S. K. Raj, M. S. Khan & R. Singh.* Natural occurrence of a begomovirus on pigeonpea in India
810 *Sh. Farzadfar, R. Pourrahim, A. R. Golnaraghi & A. Ahoonmanesh.* Occurrence of *Cauliflower mosaic virus* in different cruciferous plants in Iran
811 *Q. Q. Li, J. X. Feng, J. L. Tang, W. Lin, C. J. Duan, Y. F. Ye & K. Luo. Siraita grosvenorii* (Luo Han Guo; Cucurbitaceae) is a new host of *Ralstonia solanacearum* in China

812 *Author index*
820 *Keyword index*